

# Basic Downlights






Compact

## Fluorescent Downlights

Quality lighting would never be so economical... LITPA introduces you new Basic Downlight Series. Beside their excellent and high quality illumination ability, these fixtures bring you technique and aesthetic together. They offer true solutions for your illumination applications with their different size, reflector and glass alternatives. Reflector angle lets the places breath by their right lamp position in design and high efficiency.

BASIC DOWNLIGHTS / LAMP AND GLASS CHOICES



## COMPACT FLUORESCENT DOWNLIGHTS / BASIC DOWNLIGHT (SPG 211)



### SPG 211



#### Description

**Body:** Made of 1 mm thick galvanize, frames are made of plastic injection.

**Reflector:** Manufactured with high pure (99.9%) aluminum.

**Glass:** 4 mm thick tempered glass is used for these fixtures.

#### Code


SPG 211/213-218  
 SPG 211/213C1,2,3,4  
 SPG 211/218C1,2,3,4

#### Lamp

2x13-18W Dulux D  
 2x13W Dulux D  
 2x18W Dulux D

#### Color

White  
 White  
 White



#### Box Dimensions

Inside box 1 PCS.  
 SPG 211/213-218 210x235x185 mm  
 SPG 211/213C-218C 210x235x185 mm

#### Weight

SPG 211/213-218 1.250gr  
 SPG 211/213C-218C 1.400gr.

**Cut-out:** Ø181mm

**Protection:** IP20



C1



C2




C3



C4

#### Dimensions



## COMPACT FLUORESCENT DOWNLIGHTS / BASIC DOWNLIGHT (SPG 201)



## SPG 201



## Description

**Body:** The body in this series is made of high quality galvanized steel and frames are painted with 80 micron thick electrostatic powder paint.

**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.

Code	Lamp	Color
SPG 201/213	2x13W Dulux D	White
SPG 201/218	2x18W Dulux D	White

## Box Dimensions


Inside box 1 PCS.  
 SPG 201/213 225x205x170 mm  
 SPG 201/218 225x205x170 mm  
 Inside box 4 PCS.  
 SPG 201/213 450x460x170 mm  
 SPG 201/218 450x460x170 mm

**Cut-out:** Ø170 mm


## Weight

Inside box 1 PCS.  
 SPG 201/213 1.200 gr  
 SPG 201/218 1.200 gr  
 Inside box 4 PCS.  
 SPG 201/213 5.050 gr  
 SPG 201/218 5.050 gr

**Protection:** IP20



## Dimensions



## SPG 201/C



## Description

**Body:** The body in this series is made of high quality galvanized steel and frames are painted with 80 micron thick electrostatic powder paint.

**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.

**Glass:** 4 mm thick tempered glass is used for these fixtures.

Code	Lamp	Color
SPG 201/213/C	2x13W Dulux D	White
SPG 201/218/C	2x18W Dulux D	White

## Box Dimensions


Inside box 1 PCS.  
 SPG 201/213/C 225x205x170 mm  
 SPG 201/218/C 225x205x170 mm  
 Inside box 4 PCS.  
 SPG 201/213/C 450x460x170 mm  
 SPG 201/218/C 450x460x170 mm

**Cut-out:** ø170 mm


## Weight

Inside box 1 PCS.  
 SPG 201/213/C 1.550 gr  
 SPG 201/218/C 1.550 gr  
 Inside box 4 PCS.  
 SPG 201/213/C 6.700 gr  
 SPG 201/218/C 6.700 gr

**Protection:** IP20



## Dimensions





## COMPACT FLUORESCENT DOWNLIGHTS / BASIC DOWNLIGHT (SPG 202)



### Description

**Body:** The body in this series is made of high quality galvanized steel and painted with 80 micron thick electrostatic powder paint.  
**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.

Code	Lamp	Color
SPG 202/218	2x18W Dulux D	White
SPG 202/226	2x26W Dulux D	White

### Box Dimensions


Inside box 1 PCS.  
 SPG 202/218 255x255x240 mm  
 SPG 202/226 255x255x240 mm  
 Inside box 4 PCS.  
 SPG 202/218 485x485x240 mm  
 SPG 202/226 485x485x240 mm

**Cut-out:** Ø205 mm


### Weight

Inside box 1 PCS.  
 SPG 202/218 1.550 gr  
 SPG 202/226 1.950 gr  
 Inside box 4 PCS.  
 SPG 202/218 6.200 gr  
 SPG 202/226 7.800 gr

**Protection: IP20**



### Dimensions



### Description

**Body:** The body in this series is made of high quality galvanized steel and painted with 80 micron thick electrostatic powder paint.  
**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.  
**Glass:** 4 mm thick tempered glass is used for these fixtures

Code	Lamp	Color
SPG 202/218/C	2x18W Dulux D	White
SPG 202/226/C	2x26W Dulux D	White

### Box Dimensions


Inside box 1 PCS.  
 SPG 202/218/C 255x255x240 mm  
 SPG 202/226/C 255x255x240 mm  
 Inside box 4 PCS.  
 SPG 202/218/C 485x485x240 mm  
 SPG 202/226/C 485x485x240 mm

**Cut-out:** Ø 205 mm


### Weight

Inside box 1 PCS.  
 SPG 202/218/C 2.000 gr  
 SPG 202/226/C 2.400 gr  
 Inside box 4 PCS.  
 SPG 202/218/C 8.000 gr  
 SPG 202/226/C 9.600 gr

**Protection: IP20**



### Dimensions



## COMPACT FLUORESCENT DOWNLIGHTS / BASIC DOWNLIGHT (SPG 203- 204)



## SPG 203/C



## Description

**Body :** The body in this series is made of high quality galvanized steel and painted with 80 micron thick electrostatic powder paint.

**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.

**Glass:** 4 mm thick tempered glass.

## Code

SPG 203/213/C  
SPG 203/218/C

## Lamp

2x13W Dulux D  
2x18W Dulux D

## Color

White  
White

## Box Dimensions

Inside box 1 PCS.  
SPG 203/213/C 225x205x170 mm  
SPG 203/218/C 225x205x170 mm  
Inside box 4 PCS.  
SPG 203/213/C 450x460x170 mm  
SPG 203/218/C 450x460x170 mm

**Cut-out:** Ø170 mm

## Weight

Inside box 1 PCS.  
SPG 203/213/C 1.420 gr  
SPG 203/218/C 1.420 gr  
Inside box 4 PCS.  
SPG 203/213/C 5.450 gr  
SPG 203/218/C 5.450 gr

**Protection: IP20**

## SPG 203/P



## Description

**Body :** The body in this series is made of high quality galvanized steel and painted with 80 micron thick electrostatic powder paint.

**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.

**Diffuser :** Prismatic acrylic diffuser (2.5mm).

## Code

SPG 203/213/P  
SPG 203/218/P

## Lamp

2x13W Dulux D  
2x18W Dulux D

## Color

White  
White

## Box Dimensions

Inside box 1 PCS.  
SPG 203/213/P 225x205x170 mm  
SPG 203/218/P 225x205x170 mm  
Inside box 4 PCS.  
SPG 203/213/P 450x460x170 mm  
SPG 203/218/P 450x460x170 mm

**Cut-out:** Ø170 mm

## Weight

Inside box 1 PCS.  
SPG 203/213/P 1.400 gr  
SPG 203/218/P 1.400 gr  
Inside box 4 PCS.  
SPG 203/213/P 5.350 gr  
SPG 203/218/P 5.350 gr

**Protection: IP20**

## SPG 204/P



## Description

**Body:** The body in this series is made of high quality galvanized steel and painted with 80 micron thick electrostatic powder paint.

**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum

**Diffuser:** Prismatic acrylic diffuser (2.5 mm)

## Code

SPG 204/218/P  
SPG 204/226/P

## Lamp

2x18W Dulux D  
2x26W Dulux D

## Color

White  
White

## Box Dimensions

Inside box 1 PCS.  
SPG 204/218/P 255x255x220 mm  
SPG 204/226/P 255x255x220 mm  
Inside box 4 PCS.  
SPG 204/218/P 475x475x220 mm  
SPG 204/226/P 475x475x220 mm


**Cut-out:** Ø205 mm

## Weight


Inside box 1 PCS.  
SPG 204/218/P 1.390 gr.  
SPG 204/226/P 1.750 gr.  
Inside box 4 PCS.  
SPG 204/218/P 5.700 gr.  
SPG 204/226/P 7.150 gr.

**Protection: IP20**

## Dimensions (SPG 203/C - SPG 203/P)



## Dimensions ( SPG 204/P)




## COMPACT FLUORESCENT DOWNLIGHTS / BASIC DOWNLIGHT (SPG155)



### Description

**Body:** Frame is aluminum injection and painted with min. 80 micron thick.  
**Reflector:** 1 mm thick manufactured with high pure (99.9%) anodized coated aluminum.

Code	Lamp	Color
SPG 155	1x10 W Dulux D	White



### Box Dimensions

Inside box 4 PCS.  
 SPG 155 455x455x165 mm SPG 155 4.900 gr


### Weight

Inside box 4 PCS.

**Cut-out:** Ø136 mm

**Protection:** IP20

### Dimensions





## COMPACT FLUORESCENT DOWNLIGHTS / BASIC DOWNLIGHT (SPG 102)



## SPG 102



## Description

**Body:** The body in this series is made of high quality galvanized steel and painted with 80 micron thick electrostatic powder paint.

**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.

## Code


SPG 102/113  
SPG 102/118  
SPG 102/126  
SPG 102/E27

## Lamp

1x13W Dulux D  
1x18W Dulux D  
1x26W Dulux D  
1x100W AC-L

## Color

White  
White  
White  
White



## Box Dimensions

Inside box 4 PCS.

SPG 102/113 405x405x235 mm (4PCS)  
SPG 102/118 405x405x235 mm (4PCS)  
SPG 102/126 405x405x235 mm (4PCS)  
SPG 102/E27 405x405x235 mm (4PCS)

**Cut-out:** Ø 150 mm


## Weight

Inside box 4 PCS.

SPG 102/113 3.100 gr (4PCS)  
SPG 102/118 3.100 gr (4PCS)  
SPG 102/126 3.900 gr (4PCS)  
SPG 102/E27 2.700 gr (4PCS)

**Protection:** IP20

## Dimensions



## SPG 102/C



## Description

**Body:** The body in this series is made of high quality galvanized steel and painted with 80 micron thick electrostatic powder paint.

**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.  
**Glass:** 4 mm thick tempered glass is used for these fixtures.

## Code


SPG 102/113/C  
SPG 102/118/C  
SPG 102/126/C  
SPG 102/E27/C

## Lamp

1x13W Dulux D  
1x18W Dulux D  
1x26W Dulux D  
1x100W AC-L

## Color

White  
White  
White  
White



## Box Dimensions

Inside box 4 PCS.

SPG 102/113/C 405x405x235 mm (4 PCS)  
SPG 102/118/C 405x405x235 mm (4 PCS)  
SPG 102/126/C 405x405x235 mm (4 PCS)  
SPG 102/E27/C 405x405x235 mm (4 PCS)

**Cut-out:** Ø 150 mm


## Weight

Inside box 4 PCS.

SPG 102/113/C 4.500 gr (4 PCS)  
SPG 102/118/C 4.500 gr (4 PCS)  
SPG 102/126/C 5.300 gr (4 PCS)  
SPG 102/E27/C 4.100 gr (4 PCS)

**Protection:** IP20

## Dimensions



## COMPACT FLUORESCENT DOWNLIGHTS / BASIC DOWNLIGHT (SPG 103)



### SPG 103



#### Description

**Body:** The body in this series is made of high quality galvanized steel and painted with 80 micron thick electrostatic powder paint.  
**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.

Code	Lamp	Color
SPG 103/113	1x13W Dulux D	White
SPG 103/118	1x18W Dulux D	White
SPG 103/E27	1x60W AC-L	White


Box Dimensions	Weight
Inside box 6 PCS. SPG 103/113 305x440x210 mm SPG 103/118 305x440x210 mm SPG 103/E27 305x440x210 mm	Inside box 1 PCS. SPG 103/113 800 gr SPG 103/118 800 gr SPG 103/E27 600 gr Inside box 6 PCS. SPG 103/113 3.950 gr SPG 103/118 3.950 gr SPG 103/E27 2.600 gr

**Cut-out:** Ø 120 mm

**Protection: IP20**



#### Dimensions



### SPG 103/C



#### Description

**Body:** The body in this series is made of high quality galvanized steel and painted with 80 micron thick electrostatic powder paint.  
**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.  
**Glass:** 4 mm thick tempered glass is used for these fixtures.

Code	Lamp	Color
SPG 103/113/C	1x13W Dulux D	White
SPG 103/118/C	1x18W Dulux D	White
SPG 103/E27/C	1x60W AC-L	White


  

Box Dimensions	Weight
Inside box 6 PCS. SPG 103/113/C 305x440x210 mm SPG 103/118/C 305x440x210 mm SPG 103/E27/C 305x440x210 mm	Inside box 1 PCS. SPG 103/113/C 1.000 gr SPG 103/118/C 1.000 gr SPG 103/E27/C 800 gr Inside box 6 PCS. SPG 103/113/C 5.150 gr SPG 103/118/C 5.150 gr SPG 103/E27/C 3.950 gr

**Cut-out:** Ø 120 mm

**Protection: IP20**

#### Dimensions



## COMPACT FLUORESCENT DOWNLIGHTS / BASIC DOWNLIGHT (SPG 104)



## SPG 104



## Description

**Body:** 0.8 mm thick high quality steel and aluminum frame painted with 50 micron electrostatic powder paint

**Reflector:** Manufactured with 1 mm thickness high pure (99.9%) aluminium

**Glass:** 3.2 mm thick tempered glass is used for these fixtures.

Code	Lamp	Color
SPG 104/110	1x10W Dulux D	White
SPG 104/113	1x13W Dulux D	White
SPG 104/118	1x18W Dulux D	White


Box Dimensions	Weight
Inside box 6 PCS. SPG 104 305x305x210 mm	Inside box 1 PCS. SPG 104 1.250 gr Inside box 6 PCS. SPG 104 5.000 gr

Cut-out: Ø 120 mm	Protection: IP20
-------------------	------------------



## Dimensions



## COMPACT FLUORESCENT DOWNLIGHTS / BASIC DOWNLIGHT (SPG 105)



### SPG 105



#### Description

**Body:** The body in this series is made of high quality galvanized steel and painted with 80 micron thick electrostatic powder paint.

**Reflector:** Reflectors are manufactured with high pure (99.9%) aluminum.

#### Code

SPG 105/113  
 SPG 105/118  
 SPG 105/1265

#### Lamp

1x13W Dulux D  
 1x18W Dulux D  
 1x26W Dulux D

#### Color

White  
 White  
 White

#### Box Dimensions

Inside box 4 PCS.  
 SPG 105/113 405x405x235 mm (4PCS)  
 SPG 105/118 405x405x235 mm (4PCS)  
 SPG 105/126 405x405x235 mm (4PCS)

**Cut-out:** Ø 150 mm

#### Weight

Inside box 1 PCS.  
 SPG 105/113 950 gr (1PCS)  
 SPG 105/118 950 gr (1PCS)  
 SPG 105/126 1.150 gr (1PCS)  
 Inside box 4 PCS.  
 SPG 105/113 3.100 gr (4PCS)  
 SPG 105/118 3.100 gr (4PCS)  
 SPG 105/126 3.900 gr (4PCS)

**Protection:** IP20

### Dimensions

